


TNN GENERAL TRADING L.L.C

ALL KINDS OF GLASS MACHINERY ACCESSORIES



Tel: +971 4 2248540, Mob: +971 56 8140800

P.O.Box: 381222, Al Qouz Ind.2 - Dubai

E-mail: info.tnn2017@gmail.com



POLISHING MACHINE WHEEL SERIES



FULL SEGMENTED DIAMOND WHEEL



CONTINUOUS DIAMOND WHEEL



CONTINUOUS ARRIS DIAMOND WHEEL



EDGING RESIN WHEEL



10S POLISHING WHEEL




X5000 POLISHING CERIUM WHEEL

BEVELING MACHINE SERIES



BOWL BEVELLING DIAMOND WHEEL



CONTINUOUS BEVELLING DIAMOND



BEVELING RESIN WHEEL



TURBO BEVELING RESIN WHEEL



TURBO BEVELING RESIN WHEEL



SPIRAL FELT POLISHING WHEEL



RED SPIRAL FELT POLISHING



PENCIL EDGE DIAMOND WHEEL



CERIUM OXIDE (WHITE / RED)

DRILLING MACHINE FITTING SERIES



BRASS DRILL BIT



MANUAL DRILL BIT



COUNTERSINK BIT WITH THREAD



COUNTERSINK BIT




WATER CHUCK



ADAPTER



BELT PULLEY



RUBBER PAD



SPRING



WATER PUMP

SANDBLASTING MACHINE FITTING SERIES



SANDBLASTING GUNS



SANDBLASTING GUNS



NOZZLES



HAND GUNS/NOZZLES



FILM





SANDS



TIMING BELT



SHAPE MACHINE FITTING SERIES



POWER, AIR, HAND TOOLS SERIES



GENERAL MACHINE FITTING SERIES



GENERAL MACHINE FITTING SERIES



PNEUMATIC COMPONENT




OIL PUMP



SWITCH



ADJUSTER



GRINDING DISC



CUTTING DISC



SCRATCH REMOVER KIT



ELECTRICAL PARTS



GLASS BREAKER



GLASS PLIER



T-CUTTER



ROUND CUTTER



ROUND CUTTER




UV GLUE



GLASS CUTTER



CUTTER HEAD



RULER



SUCTION CUP



ANGLE SUCTION CUP




PVA SPONGY WHEEL



CORK PADS



HAND GLOVES



SAFETY ITEMS



UV LIGHT

GENERAL MACHINE FITTING SERIES



ALUMINIUM PLATE



ALUMINIUM PARTS



WATER PROOF RUBBER



BEARING




PULLY



ROLLER



AMRY DISC



CUTTING DISC



MILKY POWDER



BLACK JAPAN



ROYAL POWDER



NATARAJ BLADE



VARDHAMAN COLOUR




GRINDING BELT



DIAMOND FILE



SPEED REGULATOR



CEPOLL POWDER



RAMDA 18 INCH




C0, C1, C2 STICKER



DIAMOND BLADE 18 INCH



MIRROR COATING



CHAKRAWA



PAINT GUN



CERAMIC OIL & PASTE



GZ9D-45° 9 MOTORS GLASS MITERING GLASS EDGING MACHINE



WHEELS PLACEMENT

GZ9D-45°




GZ9D-45°



TECHNICAL PARAMETERS

Model	Max. Glass size	Min. Glass size	Glass thickness	Transmission speed	Bevel angle	Power	Weight	Land occupation
CGZ9D2P-45	2500x2500mm	80x80mm	3-25mm	0.5-5mm/min	0-45°	21kw	3500kgs	7800x1000x2500mm
CGZ9D2P-45	2500x2500mm	80x80mm	3-25mm	0.5-5mm/min	0-45°	24kw	4000kgs	8000x1000x2500mm




CGZK480 AUTO GLASS DRILLING MACHINE



PRODUCT DESCRIPTION

- Fixes the glass pneumatically and drill with the upper and lower, double drill bits.
- The pneumatic working table for supporting large size glass is equipped with high efficiency and easy operation.
- It is one of the indispensable machines in modern glass industry.




TECHNICAL PARAMETERS

Model	CGZK480 (auto)	CGZK10222 (semi-auto)
Max. Glass Size	2500x2500mm	2580x2500mm
Diameter of drilling hole	Φ4-48mm	Φ4-422mm
Glass thickness	3-25mm	3-25mm
Power	2.5KW	2.5KW
Weight	800kgs	800kgs
Size	2200x2200x1750mm	2280x2200x1750mm



CGX261P GLASS STRAIGHT LINE BEVELING MACHINE (9 MOTORS)




WHEELS PLACEMENT

CGX261 WHEELS PLACEMENT



PRODUCT DESCRIPTION

- SUNKON glass straight line beveling machine series is suitable for processing bevel & bottom edge of glass sheet with various size and thickness.
- Coarse grinding, fine grinding and polishing can be completed at one time, ensuring the accuracy and polishing brightness achieving to 10 mirror effect.
- The base, beam, swing frame, upright column and grinding head are of casting materials (annealed to prevent deformation). They have extreme resistance to abrasion and deformation, as well as the best shock absorbing properties.
- It is the best machine for processing craft glass, decoration and furniture glass, doors and windows, bathroom mirror and cosmetic mirror.



CGPS-1600P/2000P/2500P AUTO-GLASS SANDBLASTING MACHINE



PRODUCT DESCRIPTION

- Adopt Touch screen operation, PLC control.
- Automatic and manual both functions.
- Adopt special material for nozzle that can be long life.
- Automatically dust collection, adopt reverse blowing mode for filter bag dust cleaning. Adopt input and output two conveyor belts that avoid to take the sand out.
- Low cost for usage and maintenance.

TECHNICAL PARAMETERS

Model	CGPS-1600P	CGPS-2000P	CGPS-2500P
Max. Height	1600mm	2000mm	2500mm
Min. glass size	200x200mm	200x200mm	200x200mm
Glass thickness	3-50mm	3-50mm	3-50mm
Automatic Gun	3PCS(A)+1PC(M)	3PCS(A)+1PC(M)	3PCS(A)+1PC(M)
Speed	20-25m/h	20-25m/h	20-25m/h
Working Pressure	0.6-0.8Mpa	0.6-0.8Mpa	0.6-0.8Mpa
Power	3.5KW	3.5KW	3.5KW
Overall size(LXWXH)	4700x1580x2300mm	6800x1590x2800mm	6800x1500x3300mm
Weight	1000kgs	1200kgs	1300kgs

